

```
URL=http://www.squid-cache.org/Versions/v3/3.5/squid-3.5.24.tar.gz

apt-get update
apt-get -y install make gcc libapache-dbi-perl libclass-dbi-mysql-perl mysql-
client libapache-dbi-perl libclass-dbi-mysql-perl mysql-client libldap2-dev

apt-get install -y g++ libssl-dev libgnutls-openssl-dev

mkdir -p /home/src
cd /home/src
wget $URL -O squid.tar.gz

tar xzvf squid.tar.gz

cat > run << 'EoT'
./configure '--prefix=/srv/proxy' '--exec-prefix=/srv/proxy' '--
sbindir=/srv/proxy/bin' \
 '--libexecdir=/srv/proxy/bin' \
 '--datadir=/srv/proxy/etc' '--sysconfdir=/srv/proxy/etc' \
 '--sharedstatedir=/srv/proxy/etc' '--localstatedir=/srv/proxy' \
 '--libdir=/srv/proxy/bin' '--infodir=/srv/proxy/doc' '--
mandir=/srv/proxy/doc' \
 '--enable-icmp' --enable-ssl --with-openssl \
 '--enable-auth' --enable-auth-basic="LDAP" '--enable-auth-digest=LDAP' \
 '--enable-log-daemon-helpers=file' \
 '--with-default-user=proxy' \
 '--enable-delay-pools'

EoT

chmod +x run

cd squid****

../run

make all

make install

cd /srv
mkdir -p /srv/proxy/etc/acls/
chown -R proxy.proxy proxy
```

## Configuracion 1.6

```
wget "http://red.uclv.cu/_export/code/canalperi?codeblock=0" -O
/srv/proxy/etc/acls/canal-ict.acl

cat > /srv/proxy/etc/squid.conf << 'EoT'
visible_hostname paka

http_port 3128

http_access allow manager localhost
http_access deny manager

acl enlaces-canal-ict dstdomain "/srv/proxy/etc/acls/canal-ict.acl"
http_access allow enlaces-canal-ict
never_direct allow enlaces-canal-ict

cache_peer 200.14.48.120 parent 3128 0
cache_peer_access 200.14.48.120 allow enlaces-canal-ict

acl proxy-level1 src 10.12.1.7 10.12.1.77 10.12.1.79 10.12.1.78
http_access allow proxy-level1

http_access deny all

hosts_file /etc/hosts
EoT

/srv/proxy/bin/squid
```

From:

<http://redtic.uclv.cu/dokuwiki/> - **ICT Network Project**

Permanent link:

<http://redtic.uclv.cu/dokuwiki/squiducv>

Last update: **2017/03/21 21:39**

